

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- BLURRY OR ILLEGIBLE TEXT
- SKEWED/SLATED IMAGES
- COLORED PHOTOS
- BLACK OR VERY DARK BLACK AND WHITE PHOTOS
- UNDECIPHERABLE GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G10L 5/06	A1	(11) International Publication Number: WO 99/50829 (43) International Publication Date: 7 October 1999 (07.10.99)
(21) International Application Number: PCT/IB99/00673 (22) International Filing Date: 24 March 1999 (24.03.99) (30) Priority Data: 60/079,706 27 March 1998 (27.03.98) US (71) Applicant: LERNOUT & HAUSPIE SPEECH PRODUCTS N.V. [BE/BE]; Flanders Language Valley 50, B-8900 Ieper (BE). (72) Inventors: SCHOOFS, Koen; Milsestraat 65, B-3050 Haas- rode (BE). GALLOPYN, Guido; Astridstraat 7, B-9620 Zottegem (BE). (74) Agent: FROUD, Clive; Elkington and Fife, Prospect House, 8 Pembroke Road, Sevenoaks, Kent TN13 1XR (GB).	(81) Designated States: AU, CA, JP, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	

(54) Title: **SPEECH RECOGNITION DICTIONARY ENLARGEMENT USING DERIVED WORDS**

(57) Abstract

There is provided an improved speech recognition system of the type permitting enlargement of a dictionary that associates a phonetic transcription with each word. The improvement includes an input for specifying a word to be entered into the dictionary; a derivative generator for identifying a set of words that includes the specified word and at least one derivative of the specified word; and an update arrangement for adding to the dictionary desired members of the set, along with a phonetic transcription of each such desired member.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Speech Recognition Dictionary Enlargement Using Derived Words

Technical Field

5 The present invention relates to speech recognition systems, and more particularly to dictation systems.

Background Art

10 In a dictation system, it is common to utilize a dictionary of vocabulary words that are capable of being recognized by the system. A common feature is the ability of the user to add words to the system vocabulary. The addition of a word is achieved by having the user type or spell a word, the phonetic transcription is retrieved or generated, and the word can from then on be recognized by the dictation system. The only word that is added is the word as it
15 is typed by the user.

 It is also common for a dictation system to employ two dictionaries. One dictionary, termed the "active dictionary" in this description and the following claims, is the dictionary containing the active vocabulary that is recognized by the system. Another dictionary, termed the "background dictionary" in this
20 description and the following claims, is typically a substantially larger dictionary, from which most, if not all, of the active dictionary's vocabulary is selected. The background dictionary is typically created in a laboratory.

Summary of the Invention

25 A preferred embodiment of the present invention provides a method of enlarging a dictionary of a speech recognition system. Such a dictionary associates a phonetic transcription with each word. The method of this embodiment includes:

- a. specifying a word to be entered into the dictionary;
- 30 b. identifying a set of words that includes the specified word and at least one derivative thereof, the set having at least two members;

c. adding, to the dictionary, desired members of the set, along with a phonetic transcription of each such desired member.

The derivatives may be generated automatically using rules. In one further embodiment, the dictionary may be a background dictionary for the speech
5 recognition system, and, for example, the background dictionary may be generated in a laboratory. Alternatively, the dictionary may be an active dictionary. In an embodiment, a characteristic category associated with the specified word may be generated, by the user or by a category-based generator, as an aid in identifying the derivatives. The method may include as part of step
10 (c) selecting the desired members of the set to be added to the dictionary along with their phonetic transcriptions. When the dictionary is an active dictionary and the specified word is not in a background dictionary of the speech recognition system, rule-based generation is of particular applicability. Alternatively, or in addition, when the dictionary is an active dictionary, the
15 generation of derivatives may be achieved using a derivative dictionary that has links to identify words that are derivatives of a common root. One way of providing a derivative dictionary is to use a background dictionary that is structured to provide the derivative dictionary.

In another embodiment, step (c) of the method may include associating
20 occurrence probability data with each desired member. The step of associating occurrence probability data may include referring to a background dictionary containing such data. Alternatively, the step of associating may include referring to a rule-based generator. In a further embodiment, the rule-based generator may generate occurrence probability data for each desired member as a function
25 of a known characteristic of such member. Such a known characteristic may be the word category of such member. Alternatively, another embodiment may associate occurrence probability data by assigning a default value.

In addition to, or alternatively, an embodiment, in step (c), may associate
differentiating characteristics of the at least one derivative, such as hints or
30 suggestions to help the system differentiate the at least one derivative from

similar sounding words. The distinguishing hints may be generated automatically, looked up in a dictionary, or provided by the user,

In a related embodiment, there is provided an improved speech recognition system of the type permitting enlargement of a dictionary that

5 associates a phonetic transcription with each word. The improvement includes:

- a. an input for specifying a word to be entered into the dictionary;
- b. a derivative generator for identifying a set of words that includes the specified word and at least one derivative of the specified word; and
- c. an update arrangement for adding to the dictionary desired

10 members of the set, along with a phonetic transcription of each such desired member.

In a further embodiment, the derivative generator is rule-based so as to use rules to generate the at least one derivative automatically. As described above, the dictionary may be a background dictionary. Alternatively, the

15 dictionary may be an active dictionary. In an embodiment, the derivative generator may utilize word category information from either a rule-based category generator, or from a second user controlled input, as an aid in generating the at least one derivative. As a further embodiment, the update arrangement may include a user selection interface so as to enable a user to select

20 ones of the at least one derivative and the specified word that are desired to be added to the dictionary. When the dictionary is an active dictionary and the specified word is not in a background dictionary of the speech recognition system, rule-based generation is of particular applicability. Alternatively, or in addition, when the dictionary is an active dictionary, the derivative generator

25 may use a derivative dictionary that has links to identify words that are derivatives of a common root. One way of realizing the derivative dictionary is to provide a background dictionary that is structured to provide the derivative dictionary.

In a further related embodiment, the update arrangement of the system

30 may include a probability quantifying arrangement for associating occurrence probability data with each desired member. The probability quantifying

arrangement may refer to a background dictionary containing such data.

Alternatively, the probability quantifying arrangement in an embodiment may use a rule-based generator. In a further embodiment, the rule-based generator may generate occurrence probability data for each desired member as a function
5 of a known characteristic of such member. Such a known characteristic may be the word category of such member. Alternatively, the probability quantifying arrangement may assign a default value for each desired member.

In an embodiment, the update arrangement of the system may include a differentiating characteristic arrangement for associating differentiating
10 characteristics of the at least one derivative, such as hints or suggestions to help the system differentiate the at least one derivative from similar sounding words. The distinguishing hints may be generated automatically, looked up in a dictionary, or provided by the user.

The invention also provides a novel user interface for adding words,
15 where the user has the option to classify, for example, grammatically or otherwise, the word that is being added.

Brief Description of the Drawings

The present invention will be more readily understood by reference to the
20 following detailed description taken with the accompanying drawings, in which:

Fig. 1 illustrates the logical flow associated with a speech recognition system permitting enlargement of a dictionary in accordance with a preferred embodiment of the invention;

Figs. 2-4 illustrate alternative dictionary structures associated with related
25 words;

Fig. 5 illustrates a speech recognition system permitting enlargement of a dictionary in accordance with an embodiment of the invention in which no background dictionary is present;

Fig. 6 illustrates a speech recognition system permitting enlargement of a
30 dictionary in accordance with an embodiment of the invention wherein derived

forms are retrieved exclusively using links in the background dictionary structure;

Fig. 7 illustrates the use by prior art of word occurrence probability data in speech recognition systems;

5 Figs. 8 and 9 illustrate alternative methods of employing word occurrence probability data in a speech recognition system permitting enlargement of a dictionary in accordance with an embodiment of the invention; and

Fig. 10 illustrates an alternative embodiment of the present invention utilizing word distinguishing hints linked to each word data structure.

10

Detailed Description of Specific Embodiments

The present invention takes advantage of the discovery that it is valuable when entering a word into the dictionary of a dictation system to enter also other words that are derived from the root form of the word. In this manner, assuming
15 that derivatives of a noun have been entered in a dictation system, the occurrence of a plural will also be capable of being recognized if the singular is capable of being recognized. For the purposes of the description and claims of the present application, we use the terms "derivative" or "derived form" to refer to any word that may be derived from the root form of a given word, or, if different from the
20 given word, the root form itself. For example, in the case of a verb, all conjugate forms may be derived, including singular, plural, past tense, past participle, etc. In the case of a noun or adjective, the singular, plural, diminutive forms, plus all declined forms and compound forms may be derived. Included in the meaning of the term "derivative" are words generated by adding a prefix to a root, such as
25 "un-" in English to generate words like "unmask" and "uncomfortable" from the verb "mask" and the adjective "comfortable".

Until now, dictionaries included in dictation systems typically do not include information that relates one form of a word to another form of that same word. For example, there is no indication that one word might be the plural of
30 another word. In accordance with the present invention, when a user adds a certain word to the recognition system, derivatives of that word are also

presented to the user as candidates for being added to the recognition system.

These derived forms can be retrieved from links that are added for this reason to the dictionaries or they can be generated on the spot for words that are not in the dictionaries. Not that the word entered by the user needs to be a special or root

5 form of the word—from any derived form all other derivatives may be generated. The present invention may be employed in speech recognition systems including those for discrete and continuous dictation.

Fig. 1 illustrates the logical flow associated with a speech recognition system permitting enlargement of a dictionary in accordance with a preferred
10 embodiment of the invention. In this embodiment, the user specifies, in accordance with step 11, a word to be added to the system. In accordance with step 12, the system looks up the specified word in a background dictionary. If, in step 14, the specified word is in the dictionary, the links appended to the specified word in the dictionary, are searched in order to get all derived forms of
15 the word. If the word is not found in the dictionary, in step 15 all derived forms are generated automatically using a rule-based derivative generator. In accordance with step 16, a list of related words is offered to the user, who, in step 17, selects the desired ones, which are then, in step 18, activated for recognition on the dictation system.

20 Certain rules may be turned on or off at the user's discretion. This can happen in the derivative generator, in step 15, by direct action of the user, or indirectly, through hints given by the user ("this word is a verb"), so all rules related to nouns are disabled for this word). Not all words generated need to be actual independently existing words. In step 16, the user may be asked to
25 validate the generated words, or alternatively, they may be looked up in a dictionary to check whether they actually exist, or, indeed, in a further embodiment, step 16 may be skipped and they may be added anyway, regardless of their existence.

Several possible dictionary structures may be utilized in accordance with
30 embodiments of this invention. Examples of these structures are shown in Figs. 2 through 4.

Dictionary structure 1 is shown in Fig. 2, which illustrates the links among a group of related words. The dictionary contains separate entries for each derived form of the word. It may contain the phonetic transcription of each of these words. Each word may contain links to all other words which are derived
5 from it, or which are derived from a common form. Thus, all related forms 21-24 are provided as entries in the dictionary, and a given root form 21 may have links to each derived form 22, 23 and 24, and each derived form has a link to the root form and each of the other derived forms.

Dictionary structure 2 is shown in Fig. 3, which illustrates an alternative
10 method of linking a group of related words. The dictionary contains separate entries for each derived form of the word. It may contain a phonetic transcription of each of these words. Each word contains a link to a certain root form (which need not be present as a word in the dictionary, since certain words have a root form which is not an independently existing word, *e.g.*, "disgruntled"). This root
15 form then contains links to all words which are derived from it. Thus, all related forms 21-24 are provided as entries in the dictionary, and a given root form 21 may have links to each derived form 22, 23 and 24, but the derived forms are not directly linked with each other.

Dictionary structure 3 is shown in Fig. 4, which illustrates another
20 alternative method of linking a group of related words. The dictionary has entries only for the root form (as is common for printed dictionaries), but this entry contains all derived forms in its associated data structure. All forms may be accompanied by their phonetic transcription. Thus, a dictionary entry exists for each given root form 21, which may have links to each derived form 22, 23 and
25 24, but the derived forms are not directly linked with each other, nor do they occur as entries in the dictionary.

While the invention in the embodiments described above provides a valuable feature for English dictation systems, in the case of heavily inflected languages, embodiments of the invention may in fact be necessary to make the
30 ability of the user to add words to the dictation system a useful feature. For

example, in Spanish and Korean a verb can take many different forms, while in German and Japanese words can have many different declensions.

The invention may also be realized in the following embodiments.

A system, as in Fig. 5, may have no background dictionary present, so the
5 derived forms are always generated on the spot. In this embodiment, the user specifies, in accordance with step 51, a word to be added to the system. In accordance with step 52, all derived forms are generated automatically using a rule-based derivative generator. In accordance with step 53, the list of all related words is offered to the user, who, in step 54, selects the desired ones, which are
10 then, in step 55, entered into the dictionary for use in the speech recognition system.

A system, as in Fig. 6, may not use a rule-based derivative generator, and derived forms may be retrieved exclusively using links in the dictionary structure. In this embodiment, the user specifies, in accordance with step 61, a
15 word to be added to the system. In accordance with step 62, the system looks up the specified word in a background dictionary. In step 63, the links appended to the specified word in the dictionary are searched in order to get all derived forms of the word. In accordance with step 64, the list of all related words is offered to the user, who, in step 65, selects the desired ones, which are then, in step 66,
20 entered into the dictionary for use in the speech recognition system.

A system, similar to the embodiment illustrated in Fig. 1, may not allow the user to choose which of the derived forms are to be activated, and which are to be left out. In other words, steps 16 and 17 are not performed. Such a system might always include all derived forms, or only the most common derivations.

25 A system may be similar to the embodiment illustrated in Fig. 1, but, in step 11, the user may select the word to be added by some other means than typing or spelling it—for example, by selecting the word out of a list of words.

A system may be similar to the embodiment in Fig. 1, and also have an active dictionary as the dictionary to be enlarged, and a background dictionary
30 may also be present. In this embodiment, in step 15, the derived forms of the word are generated by a tool, but the phonetic transcriptions of the word are

retrieved from the background dictionary. Alternatively, regardless of whether there is a background dictionary, the phonetic transcriptions may not be relevant so are not obtained.

A system may be similar to the embodiment in Fig. 1 and also have each word to be entered into the system stored as part of a data structure which includes one or more additional differentiating characteristics associated with each such word. In such an embodiment, some of the differentiating characteristics of the word may be associated with the word in the form of a "hint" which a speech recognition system may use to distinguish between similar sounding utterances if the hint is then furnished by the user. For instance, in French, the third person plural of a verb is commonly formed by adding the suffix "ent" to the root form of the verb. In such an embodiment, the data structure associated with the third person plural derivative of the root verb would also be linked to a distinguishing hint such as "ends in 'ent'" or "third person plural." The hints may then be used to distinguish between similar sounding words, as described in application number 09/159,838, filed September 24, 1998, for our invention entitled "User Interface to Distinguish Between Same Sounding Words in Speech Recognition," which is hereby incorporated herein by reference.

In an embodiment illustrated in Figure 10, the differentiating characteristics may be generated by a rule-based generator that is separate from the one used to generate the word derivatives. After specifying the word to be added in step 11 of Figure 10, in addition to generating derivatives to be added in steps 12-17, a separate rule-based generator may generate word-distinguishing hints in step 101. These hints may then be linked to each word desired to be entered into the system in Step 102, just before the word is entered into the system in step 18. Of course, alternative embodiments may perform the hint generating and linking of the hints to the words at other locations in the flow chart.

In another embodiment which looks up the derived forms of the specified word in a background dictionary, as illustrated in Fig. 6, distinguishing hints

may also be associated with each word listed in the background dictionary. The distinguishing hints would then be added to the system along with desired derived forms. In an alternative embodiment, the distinguishing hints could be provided by the user.

5 The user interface, in Fig. 1, may be, in steps 11, 16 and 17, speech-recognition and speech-synthesis based; or windows-, mouse- and keyboard-based. The user, in step 11, may specify a word (by typing or orally spelling or by other means), whereupon the word and some or all derived forms are displayed in the embodiment. The user may be asked, as a part of step 15, to
10 categorize the word to be added — for example, is it a verb, a noun, adjective, a loan-word, a medication? — to help find the correct set of derivation rules to be used. Alternatively, in step 15 the system may automatically assign a word to a certain category, for example, based on a certain rule set. Next, in steps 16 and 17, the user may be provided the option to select (using mouse, keyboard or
15 voice) the words to add to the system. As a default, or in lieu of such an option, all or the most common forms are added by default, skipping steps 16 and 17. In the case of a default entry, as a further embodiment, the user may be provided the option to select beforehand what types of derivatives should be allowed in step 15, and which should not be considered (for example, no past tenses of
20 verbs, etc.).

 The derivative generator tool (Fig. 1, step 15) may be, for example, an expert system that makes use of a linguistic rules set to derive all, or certain, derivatives of a word. This rules set may be hard-coded in the tool, or the tool may be reconfigurable to load in different rule sets at runtime. In a further
25 embodiment, the specified word is converted first to a root-form, and all derived forms are then derived from this root-form. The rule set is preferably language specific even though certain rules may be used in more than one language.

 It will be appreciated that the invention and the dictation system to which it relates may be implemented in software that is designed to be run on a general
30 purpose computer, or, alternatively, may be embedded in a specially designed system that is hard-wired and includes items that are stored in read-only

memory or may be implemented in some combination of software on a general purpose hardware platform with an embedded application.

In yet another embodiment, the present invention addresses statistical data pertinent to speech recognition. In many, if not most large vocabulary speech recognition systems, the recognition engine utilizes data concerning the probability that a word can occur as the next word in a text. Normally probability data are determined by taking an extraordinarily large amount of text, and counting the number of times a word occurs (possibly even the number of times the word occurs after a certain other word). This probability data pertinent to a given word can be stored together with the word in the language model, active dictionary or even background dictionary. If a word is taken from the background dictionary, and added to the active dictionary, its statistics may be retrieved from the background dictionary. However, if a completely new word is being added to the system, no information about the likelihood of the word occurring in the text is available. Up to now this problem has been solved by giving the word a default starting probability, which can be based on, for example, the number of words already in the system, or, the category of the word—for example, is it a name, a verb, etc.—since each category can have its own statistics, etc. This starting probability is then adapted based on the actual use of the word during dictation.

Fig. 7 illustrates the logical sequence associated with assigning the word occurrence probability data in a speech recognition system based on such previously existing methods. In such a system, the user specifies, in accordance with step 71, a word to be added to the system. In accordance with step 72, the system looks up the specified word in a background dictionary. If, in step 75, the specified word is in the dictionary, the occurrence probability data stored in the dictionary is assigned to the specified word. If the specified word is not found in the dictionary, in step 74 a default value of occurrence probability data is assigned to the specified word. In accordance with step 76, the word and its occurrence probability data are then entered into the system.

In embodiments of the present invention, it is possible to add not just one word, but a whole range of words. A number of possibilities exist to find the starting probabilities for all these words. In one embodiment, the probability for each word may be determined by a lookup in the background dictionary. Fig. 8 illustrates an embodiment showing how the basic system of Fig. 1 may be modified to accomplish such a function. Once the derived forms are determined in steps 14 and 15, the system, in step 81, looks up occurrence probability data for each word form in a background dictionary. Operation of the system may then continue as in Fig. 1, beginning from step 16 offering the list of related words to the user. In another embodiment, in step 81, each word may be added to the system with a default probability, the same for every word. Alternatively, each word, in step 81, may be added to the system with a probability related to its category (different for verbs, nouns, names, etc).

In another embodiment, if a rule-based approach is used to generate words, it is possible to utilize known characteristics of the derived word, for example, whether the derived word is a noun in the singular or a past participle, a feminine or a plural (French). From this, something can be inferred about the likelihood of the word occurring. In French, a feminine plural past participle is probably more rare than any other form, since it is only used when talking about a group of exclusively female persons (or objects). In Japanese, the polite form of a verb may be more likely than the normal present tense.

Hence, the rules that are used to derive words may also be utilized in assigning a probability to the derived word. Such an approach permits the assignation of more accurate, and therefore useful, probabilities for words than probabilities based only on category. In this case two forms of a verb in the same category could still get a different probability.

Fig. 9 illustrates an embodiment showing how such a system may be adapted from the basic system of Fig. 1. If the specified word were present in the background dictionary in step 13, the system would, in step 14, search the links appended to the word to get all derived forms, and then, in step 92, lookup the occurrence probability data in the dictionary, before offering the list of all related

words to the user in step 16. If the specified word were not present in the background dictionary in step 13, the rule-based derivative generator, in step 91, would automatically generate derivatives and occurrence probability data, before offering the list of all related words to the user in step 16.

- 5 The rules, in step 91, may be used to generate probabilities that later on need to be modified to account for the probability of the category to which a word belongs. For example, the plural form of a noun may well have a different probability from that of the singular form, regardless of category. These probabilities may then be modified based on category. For example, if the
- 10 derived words turn out to belong to the category of rare medical utensils, both probabilities (for the plural and the singular forms) should be lowered to account for this. Alternatively, in step 91, the rules could generate probabilities that are used unmodified.

- In a further embodiment, the original word that was entered by the user
- 15 would get the highest probability. The probabilities of all derived words may (optionally) be normalized to fall below this probability. The user may be asked for hints to classify the original word (or derivatives) in order to get a more accurate estimate of the probability of the original word and its derived forms. In such an embodiment, the normalization described might occur in step 81 of Fig.
- 20 8 when the occurrence probability data is looked up in the background dictionary.

 In other embodiments, the addition of occurrence probability data, depicted in step 81 of Fig. 8, could occur at any point in the logical sequence, including, for example, after the selection step 17.

What is claimed is:

1. A method of enlarging a dictionary of a speech recognition system, the dictionary associating with each word therein a phonetic transcription, the
5 method comprising:
 - a. specifying a word to be entered into the dictionary;
 - b. identifying a set of words that includes the specified word and at least one derivative thereof, the set having at least two members;
 - c. adding to the dictionary desired members of the set, along with a
10 phonetic transcription of each such desired member.
2. A method according to claim 1, wherein step (b) includes using rules to generate the at least one derivative of the set automatically.
- 15 3. A method according to claim 2, wherein the dictionary is a background dictionary for the speech recognition system.
4. A method according to claim 1, wherein the dictionary is an active dictionary.
20
5. A method according to claim 4, wherein step (c) includes selecting members of the set that are desired to be added to the dictionary.
6. A method according to claim 2, wherein the dictionary is an active
25 dictionary and the specified word is not in a background dictionary of the speech recognition system.
7. A method according to claim 1, wherein the dictionary is an active dictionary and step (b) includes utilizing a derivative dictionary that has links to
30 identify words that are derivatives of a common root.

8. A method according to claim 7, wherein the speech recognition system has a background dictionary that is structured to provide the derivative dictionary.
- 5 9. A method according to claim 7, wherein the derivative dictionary associates distinguishing hints with words listed therein and wherein the distinguishing hints are associated with the desired members of the set which are added to the dictionary.
- 10 10. A method according to claim 1, wherein step (c) includes associating occurrence probability data with each desired member.
11. A method according to claim 10, wherein associating occurrence probability data for each desired member includes referring to background
15 dictionary containing such data.
12. A method according to claim 10, wherein associating occurrence probability data for each desired member includes referring to a rule-based
20 generator.
13. A method according to claim 12, wherein the rule-based generator generates the occurrence probability data for each desired member as a function of a known characteristic of such member.
- 25 14. A method according to claim 13, wherein the known characteristic is the word category of such member.
15. A method according to claim 10, wherein associating occurrence probability data includes assigning a default value.

16. A method according to claim 1, wherein step (a) also includes designating a category applicable to the word, and step (b) includes using the category as an aid in identifying at least one derivative of the specified word.

5 17. A method according to claim 16, wherein step (a) is performed by a user of the speech recognition system and designating a category is also performed by the user.

18. A method according to claim 17, wherein designating a category is
10 performed by a rule-based category generator.

19. A method according to claim 1, wherein step (c) includes associating differentiating characteristics of desired member along with each desired member.

15

20. A method according to claim 19, wherein the differentiating characteristics are distinguishing hints.

21. A method according to claim 20, wherein the distinguishing hints are
20 generated automatically by a set of rules.

22. A method according to claim 20, wherein the distinguishing hints are provided by the user.

25 23. A method according to claim 20, wherein the distinguishing hints are provided by a background dictionary.

24. An improved speech recognition system of the type permitting enlargement of a dictionary, the dictionary associating a phonetic transcription
30 with each word, wherein the improvement comprises:

a. an input for specifying a word to be entered into the dictionary;
b. a derivative generator for identifying a set of words that includes the specified word and at least one derivative thereof, the set having at least two members;

5 c. an update arrangement for adding to the dictionary desired members of the set, along with a phonetic transcription of each such desired member.

25. A system according to claim 24, wherein the derivative generator is rule-
10 based so as to use rules to generate the at least one derivative of the set automatically.

26. A system according to claim 25, wherein the dictionary is a background dictionary.

15

27. A system according to claim 24, wherein the dictionary is an active dictionary.

28. A system according to claim 27, wherein the update arrangement includes
20 a user selection interface so as to enable a user to select ones of the at least one derivative and the specified word that are desired to be added to the dictionary.

29. A system according to claim 25, wherein the dictionary is an active dictionary and the specified word is not in a background dictionary of the speech
25 recognition system.

30. A system according to claim 24, wherein the dictionary is an active dictionary, and the improvement further comprises a derivative dictionary coupled to the derivative generator, wherein the derivative dictionary has links
30 to identify words that are derivatives of a common root.

31. A system according to claim 30, wherein the speech recognition system has a background dictionary that is structured to provide the derivative dictionary.

32. A system according to claim 30, wherein the derivative dictionary
5 associates distinguishing hints with words listed therein, and wherein the distinguishing hints are associated with the desired members added by the update arrangement.

33. A system according to claim 24, wherein the update arrangement includes
10 a probability quantifying arrangement for associating occurrence probability data with each desired member.

34. A system according to claim 33, wherein the probability quantifying arrangement refers to a background dictionary.

15

35. A system according to claim 33, wherein the probability quantifying arrangement includes a rule-based generator.

36. A system according to claim 35, wherein the rule-based generator provides
20 occurrence probability data for a given word as a function of a known characteristic of the given word.

37. A system according to claim 36, wherein the known characteristic is the word category of the given word.

25

38. A system according to claim 36, wherein the probability quantifying arrangement assigns a default value for each desired member.

39. A system according to claim 24, further comprising a second input for
30 designating a word category applicable to the specified word, and wherein the

derivative generator includes an arrangement for using the category as an aid in identifying at least one derivative of the specified word.

40. A system according to claim 24, further comprising a rule-based category
5 generator coupled to the input for designating a word category applicable to the specified word, and wherein the derivative generator includes an arrangement for using the category as an aid in identifying at least one derivative of the specified word.
- 10 41. A system according to claim 24, wherein the update arrangement includes a characteristic-differentiating arrangement for associating differentiating characteristics along with each desired member of the set.
42. A system according to claim 41, wherein the differentiating characteristics
15 are distinguishing hints.
43. A system according to claim 42, wherein the distinguishing hints are provided by the user.
- 20 44. A system according to claim 42, further comprising a rule-based generator for generating the distinguishing hints.
45. A system according to claim 42, wherein the distinguishing hints are provided by a background dictionary.

1/8




FIG. 1

2/8




FIG. 2




FIG. 3




FIG. 4

3/8




FIG. 5

4/8




FIG. 6

5/8




FIG. 7
PRIOR ART

6/8




FIG. 8

7/8




FIG. 9

8/8




FIG. 10

INTERNATIONAL SEARCH REPORT

Int l Application No

PCT/IB 99/00673

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G10L5/06

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 G10L G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	FESSELER P ET AL: "AUTOMATIC VOCABULARY EXTENSION FOR A SPEAKER-ADAPTIVE SPEECH RECOGNITION SYSTEM BASED ON CVC UNITS" PROCEEDINGS OF THE EUROPEAN CONFERENCE ON SPEECH COMMUNICATION AND TECHNOLOGY (EUROSPEECH), PARIS, SEPT. 26 - 28, 1989, vol. 1, no. CONF. 1, 26 September 1989 (1989-09-26), pages 75-78, XP000209282 TUBACH J P; MARIANI J J abstract figure 1 paragraph '05.2!	1, 24
A	US 5 442 547 A (KUTSUMI TAKESHI ET AL) 15 August 1995 (1995-08-15) abstract --- -/--	1, 24

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

14 July 1999

Date of mailing of the international search report

23/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Krembel, L

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 99/00673

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>EP 0 241 717 A (IBM)</p> <p>21 October 1987 (1987-10-21)</p> <p>abstract</p> <p>figure 1</p> <p>-----</p>	1,24

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/IB 99/00673

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5442547 A	15-08-1995	JP 5197747 A	06-08-1993
EP 0241717 A	21-10-1987	JP 62251876 A	02-11-1987